

Data-Sheet

24 Fiber MPO Breakout Cable Assembly

24 Fiber MPO-LC Breakout Cable 24MPO(F) - 12xLC

JTOPTICS MPO breakout cable allows the redistribution of various optical fibers to individual devices without additional networking equipment. JTOPTICS MPO harness cables reduce the overall cost and setup time for complex high-density networking and used in data center, telecom and backbone application for 100G / 400G / 800G connectivity.

24 fiber MPO to LC Fan out Assemblies provide connections between single CFP/CXP (100G transceiver with MPO interface) and 10 x SFP+ (10G transceivers with LC Duplex Interface).

JTOPTICS MPO harness cables are factory pre-terminated, tested and packed along with test reports. They are built with high-quality components of Japanese MT ferrules and JTOPTICS brand connector kits. The trunk cable assemblies are composed of high quality LSZH/OFNP jacketed fiber optic cables



Low insertion loss 0.35dB for SM MPO


JTOPTICS MPO connector features the industry's highest-precision thermoplastic MT ferrule, designed to 0.35dB IL for elite. Standard loss 0.6dB.

100% 3D Interferometer Test


Besides insertion loss, 3D geometry data affects the performances for MPO cable assemblies. 3D control for MT ferrule is more complex than normal ceramic ferrule. JTOPTICS tests 3D 100% for all MPO cables strictly.



- High performance in IL & RL
- Low Insertion Loss
- 100% 3D Test
- Complied to ANSI/TIA-568-C.3, IEEE 802.3ba and adheres to ANSI/TIA-942
- Compliant for MPO/MTP interfaces



Name	24 Fiber Single Mode OS2 MPO Breakout Cable	24 Fiber Multi Mode OM3 MPO Breakout Cable	24 Fiber Multi Mode OM4 MPO Trunk Cable	24 Fiber Multi Mode OM5 MPO Trunk Cable
Part Code	<u>JTMP5224MOSFLCPXX</u>	<u>JTMP5324MOSFLCPXX</u>	<u>JTMP424MOSFLCPXX</u>	JTMP5524MOSFLCPXX
Connector A	MPO Female (24 Fiber)	MPO Female (24 Fiber)	MPO Female (24 Fiber)	MPO Female (24 Fiber)
Connector B	12 x LC UPC Duplex	12 x LC UPC Duplex	12 x LC UPC Duplex	12 x LC UPC Duplex
Cable Jacket	LSZH	Plenum (OFNP)	Plenum (OFNP)	Plenum (OFNP)
Jacket OD	3.5mm	3.5mm	3.5mm	3.5mm
Fiber Count	24 Fibers	24 Fibers	24 Fibers	24 Fibers
Fiber Mode	Single mode (OS2 50/125µm)	Multi mode (OM3 9/125µm)	Multi mode (OM4 50/125µm)	Multi mode (OM5 50/125µm)
Wavelength	1310/1550nm	850/1300nm	850/1550nm	850/1550nm
MPO Insertion Loss	0.35dB Max	0.7dB Max	0.7dB Max	0.7dB Max
MPO Return Loss	≥60dB	≥30dB	≥30dB	≥30dB
LC Insertion Loss	≤0.2dB	≤0.3dB	≤0.3dB	≤0.3dB
LC Return Loss	≥50dB	≥25dB	≥25dB	≥25dB
Fan Out Cable Outer Diameter	2.0mm	2.0mm	2.0mm	2.0mm
Installation Tensile Load	100 N	100 N	100 N	100 N
Long-Term Tensile Load	50 N	50 N	50 N	50 N
Operating Temp Range	-10°C to +70°C	-10°C to +70°C	-10°C to +70°C	-10°C to +70°C
Storage Temp Range	-40°C to +85°C	-40°C to +85°C	-40°C to +85°C	-40°C to +85°C
Minimum Bend Radius	30mm	30mm	30mm	30mm
Polarity	A polarity	A polarity	A polarity	A polarity
Application	QSFP-DD to QSFP-DD SR8 CXP to SFP+ 100GE to 10GE	QSFP-DD to QSFP-DD SR8 CXP to SFP+ 100GE to 10GE	QSFP-DD to QSFP-DD SR8 CXP to SFP+ 100GE to 10GE	QSFP-DD to QSFP-DD SR8 CXP to SFP+ 100GE to 10GE



MTP is a registered trademark of US Connect, The MTP connector offers ferrule float to improve mechanical performance. MPO and MTP are 100% compatible.

**Standard Breakout Length is 0.5 Meter for custom length contact sales team.



IL and RL Testing
Evaluate insertion loss and return loss of cables to ensure high-quality and stable signal transmission.

Polarity Testing
Measure the polarity to ensure data from Tx at one end can be properly transmitted to Rx at the other end via light signals.



End-face Inspection
Inspect the connector end face for scratches, defects and contamination to ensure reliable fiber connections.



Optional Connector

MPO Push-Pull Connector



MPO Flex-Boot Connector



About JT

In the dynamic realm of technology and innovation, the emergence of **Jayani Technologies Limited** has been nothing short of a saga marked by ingenuity, resilience, and a steadfast commitment to excellence. Originating as Jayani Technologies LLP in 2011 in the vibrant city of Mumbai, India, the company has evolved into a trailblazer in its domain. This narrative unfolds against the backdrop of the company's expansion into Hong Kong, a strategic move signaling its intent to conquer new horizons.

Established in 2011, Jayani Technologies (**JTOPTICS**[®]) was conceived as a response to the evolving technological landscape, recognizing the need for cutting-edge solutions that marry innovation with reliability. The Mumbai headquarters became the crucible for the company's early endeavor, a melting pot of talent and vision that propelled Jayani Technologies into the forefront of its industry and emerged as a leading manufacturer and supplier of cutting-edge solutions in the fields of optical Fiber, data center, networking, and electric vehicle components.

From its inception, the company distinguished itself by its unwavering commitment to client satisfaction, a commitment that became the cornerstone of its success. Jayani Technologies quickly became synonymous with technological prowess and an unwavering dedication to delivering solutions that transcended conventional boundaries.

JTOPTICS[®] has developed and produced many active and passive interconnection and connectivity products suitable for different networks, aiming to become a one-stop device integration solution provider in the open optical network field, products include MPO Cables, AOC cable, passive DAC cable, optical transceivers, optical modules & subsystems, active & passive optical components, and high-density cabling products.

Vision

Our vision is to be recognized by clients as trustful a trusted business partner whose mission is to help our clients by offering state-of-the-art products and services.

Mission

Our mission is to catalyze the success of its clients by providing unparalleled technological solutions. The company envisions itself as a catalyst for positive change, aiming to reshape industries through innovation, integrity, and a relentless pursuit of excellence.



Our Clients

ciena

ADVA[™]
Optical Networking

colt

CISCO

Coriant

MAVENIR



इसरो isro

JUNIPER
NETWORKS

TEJAS[®]
NETWORKS

भारत इलेक्ट्रॉनिक्स
BHARAT ELECTRONICS

HITACHI

एनटीपीसी
NTPC

TATA

LARSEN & TOUBRO



Our Contact



+91-86-9309-9309



info@jtoptics.com



www.jtoptics.com



409-410 Lodha I-Think, B-Block, Palava,
Dombivali (E), Thane, MH 421204

Hongkong

India

Singapore

Malaysia

Qatar

JAYANI TECHNOLOGIES LLP